

---

# **PyTest System Statistics**

***Release 1.0.2***

**VMware, Inc.**

**Feb 16, 2022**



# CONTENTS

<b>1</b>	<b>pytestsystats package</b>	<b>1</b>
1.1	Submodules . . . . .	1
1.2	pytestsystats.plugin module . . . . .	1
1.3	pytestsystats.version module . . . . .	2
<b>2</b>	<b>Changelog</b>	<b>3</b>
2.1	[UNRELEASED DRAFT] (2022-02-16) . . . . .	3
2.2	1.0.2 (2022-02-16) . . . . .	3
2.2.1	Bug Fixes . . . . .	3
2.3	1.0.1 (2022-01-26) . . . . .	3
2.3.1	Trivial/Internal Changes . . . . .	3
2.4	system-statistics 1.0.0 (2022-01-05) . . . . .	3
	<b>Python Module Index</b>	<b>5</b>
	<b>Index</b>	<b>7</b>



## PYTESTSYSSTATS PACKAGE

### 1.1 Submodules

### 1.2 pytestsysstats.plugin module

Process statistics PyTest plugin interface.

```
class pytestsysstats.plugin.StatsProcesses
    Bases: object
```

Class which holds the processes being tracked.

**Return type** None

```
processes: Dict[str, psutil.Process]
```

```
add(display_name, process)
```

Add a process to track.

**Parameters**

- **display\_name** (*str*) –
- **process** (*Union[int, psutil.Process]*) –

**Return type** None

```
remove(display_name)
```

Remove tracked process.

**Parameters** **display\_name** (*str*) –

**Return type** None

```
items()
```

Return the tracked items.

**Return type** *ItemsView[str, psutil.Process]*

```
class pytestsysstats.plugin.SystemStatsReporter(*, config, stats_processes, terminalreporter)
```

```
Bases: object
```

Tracked processes pytest reporter.

**Return type** None

```
config: 'Config'
```

```
stats_processes: Optional[StatsProcesses]
```

```
terminalreporter: 'TerminalReporter'  
show_sys_stats: bool  
sys_stats_no_children: bool  
sys_stats_mem_type: str  
pytest_runttest_logreport(report)  
    Pytest logreport hook.  
  
    Parameters report (TestReport) –  
    Return type None  
  
pytestsystats.plugin.pytest_adoption(parser)  
    Register argparse-style options and ini-style config values.  
  
    Parameters parser (Parser) –  
    Return type None  
  
pytestsystats.plugin.pytest_sessionstart(session)  
    Pytest session start routines.  
  
    Parameters session (Session) –  
    Return type None  
  
pytestsystats.plugin.stats_processes(request)  
    Session scoped process statistics tracker.  
  
    Parameters request (SubRequest) –  
    Return type pytestsystats.plugin.StatsProcesses
```

## 1.3 pytestsystats.version module

---

CHAPTER  
TWO

---

## CHANGELOG

Versions follow Semantic Versioning (`<major>.<minor>.<patch>`).

Backward incompatible (breaking) changes will only be introduced in major versions with advance notice in the **Deprecations** section of releases.

### 2.1 [UNRELEASED DRAFT] (2022-02-16)

No significant changes.

### 2.2 1.0.2 (2022-02-16)

#### 2.2.1 Bug Fixes

- Fixed issue with `sdist` recompression for reproducible packages not iterating through subdirectories contents. (#1)

### 2.3 1.0.1 (2022-01-26)

#### 2.3.1 Trivial/Internal Changes

- Reproducible builds
- `towncrier` now uses `issue_format`

### 2.4 system-statistics 1.0.0 (2022-01-05)

First Release.



## PYTHON MODULE INDEX

p

pytestsystats, 1  
pytestsystats.plugin, 1

v

pytestsystats.version, 2



# INDEX

## A

`add()` (*pytestsystats.plugin.StatsProcesses method*), 1

## C

`config` (*pytestsystats.plugin.SystemStatsReporter attribute*), 1

|

`items()` (*pytestsystats.plugin.StatsProcesses method*), 1

## M

`module`

`pytestsystats`, 1  
  `pytestsystats.plugin`, 1  
  `pytestsystats.version`, 2

## P

`processes` (*pytestsystats.plugin.StatsProcesses attribute*), 1

`pytest_adoption()` (*in module pytestsystats.plugin*), 2

`pytest_runtest_logreport()` (*pytestsystats.plugin.SystemStatsReporter method*), 2

`pytest_sessionstart()` (*in module pytestsystats.plugin*), 2

`pytestsystats`

`module`, 1

`pytestsystats.plugin`

`module`, 1

`pytestsystats.version`

`module`, 2

## R

`remove()` (*pytestsystats.plugin.StatsProcesses method*), 1

## S

`show_sys_stats` (*pytestsystats.plugin.SystemStatsReporter attribute*), 2

`stats_processes` (*pytestsystats.plugin.SystemStatsReporter attribute*), 1

`stats_processes()` (*in module pytestsystats.plugin*), 2

`StatsProcesses` (*class in pytestsystats.plugin*), 1

`sys_stats_mem_type` (*pytestsystats.plugin.SystemStatsReporter attribute*), 2

`sys_stats_no_children` (*pytestsystats.plugin.SystemStatsReporter attribute*), 2

`SystemStatsReporter` (*class in pytestsystats.plugin*), 1

## T

`terminalreporter` (*pytestsystats.plugin.SystemStatsReporter attribute*), 1